

Quotation Request //

US Government Printing Office

Agency Publishing Services
732 North Capitol Street, NW
Washington DC 20401-0001

JACKET:046-766

Quotations are Due By:

(Eastern Time) 10:00 AM on 02/09/2009

Submit Fax Quotes to: 00000000

Contractors must provide mandatory taxpayer information before GPO makes payment.

Please see special notice on <http://contractorconnect.gpo.gov/>.

TITLE: Inside Parking Stickers (111th SENATE)

QUANTITY: 6856 Total Die-Cut Numbered Labels (+/- none), as follows:

Item 1: "R" Labels: 8 Sets of each sequence, numbered 001-192 (equals 1,536 total labels); numbered 0065-0080 (equals 128 total labels); and numbered 0105-0119 (equals 120 total labels).

Item 2: "D" Labels: 8 Sets of each sequence, numbered 001-066 (equals 528 total labels); numbered 0056-0065 (equals 80 total labels); and numbered 0025-0026 (equals 16 total labels)

Item 3: "H" Labels: 8 Sets of each sequence, numbered 001-192 (equals 1,536 total labels); numbered 0008 (equals 8 total labels); numbered 0052-0116 (equals 520 total labels); numbered 0134 (equals 8 total labels); and 1000-1020 (equals 168 total labels)

Item 4: "H1" Labels: 8 Sets, numbered 001-138 (equals 1,104 total labels)

Item 5: "H2" Labels: 8 Sets, numbered 001-138 (equals 1,104 total labels)

--- ALL QUOTES MUST BE SUBMITTED ONLINE @ CONTRACTORCONNECT.GPO.GOV OR MUST BE FAXED TO THE ATTENTION OF TEAM 6 @ 202-512-0035. LATE QUOTES WILL NOT BE ACCEPTED. ---

TRIM SIZE: Approximately 2 x 3" overall (after die-cut)

PAGES: Face Only

SCHEDULE:

Furnished Material will be available for pickup by 02/09/2009

Deliver complete (to arrive at destination) by 02/25/2009

F.O.B. destination

Deliver by 1:00 P.M. MUST

QUALITY LEVEL: 3 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 8-02)) applies.

DESCRIPTION:

SPECIFICATIONS APPLY EQUALLY TO ALL ITEMS UNLESS OTHERWISE INDICATED

SECURITY/WARNING: The contractor shall take all necessary precautions to insure against loss of forms, negatives, or other reproducible at any time prior to delivery by him to a transportation agent or delivery to destination. Proper control and handling must be maintained at all times to prevent any information or materials required to produce the product ordered under these specifications from falling into unauthorized hands. Unless otherwise indicated herein, all extra copies, materials, waste, etc., must be destroyed.

PRINTING:

Screen printing required via multi-filament or mono-filament mesh with a squeegee. Tamper proof, pressure sensitive labels (which must be weather resistant for a period of two years) print as follows:

Item 1: "R" Labels--8 sets of 223 different labels print full bleed solid Blue PMS 2995C with the following reversed to white base: the letter "R", horizontal rule matter, and consecutive numbers 001-192; 0065-0080; and 0105-0119. Approximate ink coverage is 80%.

Item 2: "D" Labels--8 sets of 78 different labels print full bleed solid Brown PMS 4725C with the following reversed to white base: the letter "D", horizontal rule matter, and consecutive numbers 001-066, 0056-0065, 0025-0026. Approximate ink coverage is 80%.

Item 3: "H" Labels--8 sets of 280 different labels print full bleed solid Yellow PMS 012C with the following reversed to white base: the letter "H", horizontal rule matter, and consecutive numbers 001-192, 0008, 0052-0116, 0134, 1000-1020. Approximate ink coverage is 80%.

Item 4: "H1" Labels--8 sets of 138 different labels print full bleed solid Yellow PMS 012C with the following reversed to white base: the letters "H1", horizontal rule matter, and consecutive numbers 001-138. Approximate ink coverage is 80%.

Item 5: "H2" Labels--8 sets of 138 different labels print full bleed solid Yellow PMS 012C with the following reversed to white base: the letter "H2", horizontal rule matter, and consecutive numbers 001-138. Approximate ink coverage is 80%.

All Items/Labels: After printing, coat the entire surface of the face of each label with a clear protective, weather resistant coating.

CONSTRUCTION: Coat the entire back of all labels with a permanent type, pressure sensitive adhesive and mount on suitable backing sheet with any easy, effective, removal feature. Die-cut labels to shape. At contractor's option, the backing sheet may be larger than the final trim size (waste removed) to facilitate the easy removal feature. The adhesive used must be suitable for adhering to automobile glass windshields. Labels will be used on vehicles and must withstand extreme weather conditions, withstand road chemicals, and car wash chemicals/materials; and must break into small pieces upon any attempt at removal after application.

FADE RESISTANCE: Labels must be guaranteed to retain their adhesive qualities and color for a period of not less than 24 months after application to automobiles. The inks used must not show any appreciable change in color after exposure in an Atlas Fadeometer for 680 standard fading hours or its equivalent.

MATERIAL FURNISHED: Contractor to pickup at GPO. Electronic Media Information: Platform: Macintosh; Furnished Media: One CD-R. Software Programs: InDesign CS3, Illustrator CS3. Files are in Native Application Format. Font Information: All printer and screen fonts are furnished.

Visual Information: Complete set of full size color laser visuals with label images 9-up (numbered sequentially, 3 across x 3 down); with magenta rule keyline for die-cut. One sample from a previous printing to be used as a guide for construction purposes only.

Additional Information: Files are set up as:

Item 1: "R" Labels: Nos. 001-192, 0065-0080, 0105-0119 with 9-up labels per sheet (3 across x 3 down; 1-9, 10-18, 19-27, etc.).

Item 2: "D" Labels : Nos. 001-066, 0056-0065, 0025-0026 with 9-up labels per sheet (3 across x 3 down; 1-9, 10-18, 19-27 etc.)

Item 3: "H" Labels: Nos. 001-192, 0008, 0052-0116, 0134, 1000-1020 with 9-up labels per sheet (3 across x 3 down; 1-9, 10-18, 19-27 etc.)

Item 4: Park "H1": Nos. 001-138 with 9-up labels per sheet (3 across x 3 down; 1-9, 10-18, 19-27 etc.)

Item 5: Park "H2": Nos. 001-138 with 9-up labels per sheet (3 across x 3 down; 1-9, 10-18, 19-27 etc.).

Note: Prior to image processing, the contractor is responsible for performing a basic check (preflight) of the furnished publishing files to assure accurate output of the required reproduction image. Any errors, media damage or data corruption that might interfere with proper file imaging must be reported to the contract administrator in sufficient time to comply with the shipping schedule. In addition, the contractor is responsible for creating or altering any necessary trapping, setting proper screen angles and screen frequency, and defining file output selection for the imaging device being utilized. All furnished files must be imaged as necessary to meet assigned quality level.

PAPER: * Must be in accordance with JCP Paper Specification Standards in effect on date of this order
Flexcon Tamper-mark, White Void 2, .002 mil. thick.

COLOR OF INK:

Item 1: Blue (PMS 2995C)

Item 2: Brown (PMS 4725C)

Items 3-5: Yellow (PMS 012C)

Plus protective clear coat on all.

MARGINS:

Follow electronic media; all labels bleed all sides.

PROOFS:

PRIOR TO PRODUCTION SAMPLES: The sample requirement for this contract is not less than nine (9) printed and die-cut samples (one impression from computer generated output which contains images 001 through 009) for each of Item 1 ("R" Labels), Item 2 ("D" Labels), and Item 3 ("H" Labels) labels. Each sample must be constructed as specified using the form, materials, equipment, and methods of production which will be used in producing the final product. All samples shall be manufactured at the facilities in which the contract production quantities are to be manufactured.

Samples will be inspected and tested and must comply with the specifications in all respects. If machine processing of the final product is indicated in the specification, the samples will be tested and must function satisfactorily on the equipment indicated.

Prior to the commencement of production of the contract production quantity, the contractor shall submit samples directly to: U.S. Government Printing Office, 44 H Street, NW, Room C-730, Washington, DC 20401, Attn: Cathy DeVinney (202-512-0224).

Contractor must call GPO Contract Compliance Section at (202) 512-0520 immediately upon sending/delivering samples and immediately upon receiving approval and/or notification that the samples are available for pickup at the department. The container and accompanying documentation shall be marked

PREPRODUCTION SAMPLES and shall include the GPO jacket and purchase order. The samples must be submitted in sufficient time to allow Government testing of the samples and production and shipment in accordance with the shipping schedule.

The Government will approve, conditionally approve, or disapprove the samples within 3 workdays of the receipt thereof. Approval or conditional approval shall not relieve the contractor from complying with the specifications and all other terms and conditions of the contract. A conditional approval shall state any further action required by the contractor. A notice of disapproval shall state the reasons therefor. If the samples are disapproved by the Government, the Government at its option may require the contractor to submit additional samples for inspection and test, in the time and under the terms and conditions specified in the notice of rejection. Such additional samples shall be furnished, and necessary changes made, at no additional cost to the Government and with no extension in the shipping schedule. The Government will require the time specified above to inspect and test any additional samples required. In the event the additional samples are disapproved by the Government, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause in which event this contract shall be subject to termination for default, provided however, that the failure of the Government to terminate the contract for default in such event shall not relieve the contractor of the responsibility to deliver the contract quantities in accordance with the shipping schedule.

In the event the Government fails to approve, conditionally approve, or disapprove the samples within the time specified, the Contracting Officer shall automatically extend the shipping schedule in accordance with article 12 "Notice of Compliance With Schedules" of contract clauses in GPO Contract Terms (GPO Pub. 310.2, effective December 1, 1987 (Rev. 9-88)).

Manufacture of the final product prior to approval of the sample submitted is at the contractor's risk. Samples will not be returned to the contractor. All costs, including the costs of all samples shall be included in the contract price for the production quantity.

All samples shall be manufactured at the facilities in which the contract production quantities are to be manufactured.

PACKING:

Shrink wrap each Set as follows:

Item 1: Gather one each of consecutive numbers 001-192 in numerical order and shrink film wrap as a Set of 192 labels (for a total of 8 Sets); gather one each of consecutive numbers 0065-0080 in numerical order and shrink film wrap as a Set of 16 labels (for a total of 8 Sets); and gather one each of consecutive numbers 0105-0119 in numerical order and shrink film wrap as a Set of 15 labels (for a total of 8 Sets).

Item 2: Gather one each of consecutive numbers 001-066 in numerical order and shrink film wrap as a Set of 66 labels (for a total of 8 Sets); gather one each of consecutive numbers 0056-0065 in numerical order and shrink film wrap as a Set of 10 labels (for a total of 8 Sets); and gather one each of consecutive numbers 0025-0026 in numerical order and shrink film wrap as a Set of 2 labels (for a total of 8 Sets).

Item 3: Gather one each of consecutive numbers 001-192 in numerical order and shrink film wrap as a Set of 192 labels (for a total of 8 Sets); gather 8 copies of labels numbered 0008 and shrink film wrap as a Set

of 8 labels (for a total of 1 Set); gather one each of consecutive numbers 0052-0116 in numerical order and shrink film wrap as a Set of 65 labels (for a total of 8 Sets); gather 8 copies of labels numbered 0134 and shrink film wrap as a Set of 8 labels (for a total of 1 Set); and gather one each of consecutive numbers 1000-1020 in numerical order and shrink film wrap as a Set of 21 labels (for a total of 8 Sets).

Item 4: Gather one each of consecutive numbers 001-138 in numerical order and shrink film wrap as a Set of 138 labels (for a total of 8 Sets).

Item 5: Gather one each of consecutive numbers 001-138 in numerical order and shrink film wrap as a Set of 138 labels (for a total of 8 Sets).

Pack suitably in shipping containers.

DISTRIBUTION:

DELIVER 6,856 labels, Government furnished material (packaged separately and identified), and die to: U.S. Government Printing Office, 44 H Street, NW, Room C-730, Washington, DC 20401, Attn: Cathy DeVinney (202-512-0224).

QUALITY ASSURANCE STANDARDS: The following standards shall apply to these specifications: Inspection Levels (from ANSI/ASQC Z1.4):

(a) Non-destructive Tests -- General Inspection Level 1.

(b) Destructive Tests -- Special Inspection Level S-2.

Specified standards to correspond with each required attribute as follows:

ATTRIBUTE:	SPECIFIED STANDARD
P-7. Type Quality & Uniformity:	Prior Production Samples/Electronic Media
P-9. Solid & Screen Tint Color Match:	Pantone Match System

GPO Publication 310.2, GPO Contract Terms, Contract Clause 5. Disputes, is hereby replaced with the June 2008 clause found at www.gpo.gov/printforms/pdf/contractdisputes.pdf. This June 2008 clause also cancels and supersedes any other disputes language currently included in existing contractual actions.